

APPENDIX A

XML	version	1.0			
	encoding	UTF-8			
Comment	edited with XML Spy v3.5 NT (http://www.xmlspy.com) by Cassio Goldschmidt (Cisco Systems)				
PopupMenuItems	1 or more sequence of				
	PopupMenuitem	1 or more			
PopupMenuitem	1 or more sequence of				
	ClickAction	1 or more			
ClickAction	EMPTY				
ClickAction attribute list	Name	Type	Values	Presence	Default
	1: command	CDATA		#REQUIRED	
	2: type	Choice	Values	#REQUIRED	
			abc Text		
			1: HTML		
			2: XML		
			3: TOPO		
DoubleClickAction	EMPTY				
DoubleClickAction attribute list	Name	Type	Values	Presence	Default
	1: command	CDATA		#REQUIRED	
	2: type	Choice	Values	#REQUIRED	
			abc Text		
			1: HTML		
			2: XML		
			3: TOPO		
Comment	useGrid: default is false				
useGrid	EMPTY				
Comment	fitInWindow (default is true)				
fitInWindow	EMPTY				
Comment	background: default is white without pictures				
background	EMPTY				
Comment					
Comment	This is the main element - the root of everything else				
graph	0 or more choice of				
	useGrid	0 or 1			
	fitInWindow	0 or 1			
	centerOn	0 or 1			
	background	0 or 1			
	buttons	0 or 1			
	layoutType	0 or 1			
	PopupMenuItems	0 or 1			
	nodes	0 or 1			
	edges	0 or 1			
useGrid attribute list	Name	Type	Values	Presence	Default
	1: set	Choice	Values	#REQUIRED	
			abc Text		
			1: true		
			2: false		
Comment	fitInWindow, by definition, also means center graph				
fitInWindow attribute list	Name	Type	Values	Presence	Default
	1: set	Choice	Values	#REQUIRED	
			abc Text		
			1: true		
			2: false		
Comment	CenterOn Values: graph, node, none if node is choosen, fitInWindow must be false (default is none)				
centerOn	#PCDATA				
Comment	img = "null" means clean-up current img, otherwise use img = a URL. color is a color entry in Hexadecimal (e.g. FFFFFFF for white, FF0000 for red) center is a comma separated x,y coordinate.				
background attribute list	Name	Type	Values	Presence	Default
	1: img	CDATA		#REQUIRED	
	2: color	CDATA		#IMPLIED	
	3: center	CDATA		#IMPLIED	
Comment	layoutType can be Circular, Hierachical, Orthogonal and ... (default is none)				
layoutType	#PCDATA				
Comment					
Comment	Definition of node and nodes				
nodes	1 or more sequence of				
	node				
node	0 or more choice of				
	tooltip	0 or 1			
	location	0 or 1			
	DoubleClickAction	0 or 1			
	PopupMenuItems	0 or 1			
node attribute list	Name	Type	Values	Presence	Default
	1: label	CDATA		#REQUIRED	
	2: img	CDATA		#REQUIRED	
Comment					
Comment	Definition of toolbar buttons				
buttons	1 or more sequence of				
	button				
button	1 or more sequence of				
	tooltip	0 or 1			
	ClickAction	1 or more			

button tooltip		0 or 1			
* button attribute list					
	Name	Type	Values	Presence	Default
1	label	CDATA		#REQUIRED	
Comment: A tooltip for the node/button					
	tooltip	PCDATA			
Comment: The x,y location for a node					
	location	PCDATA			
Comment: Definition of edges and edge					
* edges 1 or more sequence of					
	edge	1 or more			
* edge 0 or more choice of					
	label	0 or 1			
	color	0 or 1			
	type	0 or 1			
	PopupMenu...	0 or 1			
* edge attribute list					
	Name	Type	Values	Presence	Default
1	source	CDATA		#REQUIRED	
2	target	CDATA		#REQUIRED	
Comment: Edge's label, default is none					
	label	PCDATA			
Comment: Edge's color in Hexadecimal (e.g. 000000 is black, 00FF00 is green), default is black					
	color	PCDATA			
Comment: Type: A number that represents the edge to be used: 1=One way arrowed edge, 2=One way reversed arrowed edge, 3=double arrow edge (both directions), 4=no arrows (default)					
	type	PCDATA			

APPENDIX B

```
<?xml version='1.0'?>
<graph>
  <!-- fitInWindow, by definition, also means center graph -->
  <fitInWindow set="false"/>
  <!-- CenterOn Values: graph, node, none
  if node is choosen, fitInWindow must be false -->
  <centerOn>node</centerOn>
  <Nodes>
    <node label="ATHENS" img="http://eman-
dev/AppletTest/Images/32x32-end_station_blue.gif">
      <tooltip>ATHENS</tooltip>
      <DoubleClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=ATHENS&Hops=1&Data
Type=1" type="XML"/>
      <PopupMenuItems>
        <PopupMenuItem label="Site links...">
          <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=ATHENS&Hop
s=1&DataType=3" type="HTML"/>
        </PopupMenuItem>
        <PopupMenuItem label="Routers...">
          <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=ATHENS&Hop
s=1&DataType=2" type="HTML"/>
        </PopupMenuItem>
        <PopupMenuItem label="Subnets...">
          <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=ATHENS&Hop
s=1&DataType=4" type="HTML"/>
        </PopupMenuItem>
      </PopupMenuItems>
    </node>
    <node label="BIRMINGHAM" img="http://eman-
dev/AppletTest/Images/32x32-end_station_blue.gif">
      <tooltip>BIRMINGHAM</tooltip>
      <DoubleClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=BIRMINGHAM&Hops=1&
DataType=1" type="XML"/>
      <PopupMenuItems>
        <PopupMenuItem label="Site links...">
          <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=BIRMINGHAM&
;Hops=1&DataType=3" type="HTML"/>
        </PopupMenuItem>
        <PopupMenuItem label="Routers...">
          <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=BIRMINGHAM&
;Hops=1&DataType=2" type="HTML"/>
        </PopupMenuItem>
        <PopupMenuItem label="Subnets...">

```

```

        <ClickAction command="http://eman-
        dev/ADTopo/ADTopo.cgi?SiteCode=BIRMINGHAM&
        ;Hops=1&DataType=4" type="HTML"/>
    </PopupMenuItem>
</PopupMenuItems>
</node>
<node label="BRENTWOOD" img="http://eman-
dev/AppletTest/Images/32x32-end_station_blue.gif">
    <tooltip>BRENTWOOD</tooltip>
    <DoubleClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=BRENTWOOD&Hops=1&D
ataType=1" type="XML"/>
    <PopupMenuItems>
        <PopupMenuItem label="Site links...">
            <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=BRENTWOOD&
Hops=1&DataType=3" type="HTML"/>
        </PopupMenuItem>
        <PopupMenuItem label="Routers...">
            <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=BRENTWOOD&
Hops=1&DataType=2" type="HTML"/>
        </PopupMenuItem>
        <PopupMenuItem label="Subnets...">
            <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=BRENTWOOD&
Hops=1&DataType=4" type="HTML"/>
        </PopupMenuItem>
    </PopupMenuItems>
</node>
<node label="MPH-CS1" img="http://eman-
dev/AppletTest/Images/32x32-end_station_blue.gif">
    <tooltip>MPH-CS1</tooltip>
    <DoubleClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=MPH-
CS1&Hops=1&DataType=1" type="XML"/>
    <PopupMenuItems>
        <PopupMenuItem label="Site links...">
            <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=MPH-
CS1&Hops=1&DataType=3" type="HTML"/>
        </PopupMenuItem>
        <PopupMenuItem label="Routers...">
            <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=MPH-
CS1&Hops=1&DataType=2" type="HTML"/>
        </PopupMenuItem>
        <PopupMenuItem label="Subnets...">
            <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=MPH-
CS1&Hops=1&DataType=4" type="HTML"/>
        </PopupMenuItem>
    </PopupMenuItems>
</node>

```

```

<node label="RTP" img="http://eman-dev/AppletTest/Images/32x32-
end_station_blue.gif">
  <tooltip>RTP</tooltip>
  <DoubleClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=RTP&Hops=1&DataTyp
e=1" type="XML"/>
  <PopupMenuItems>
    <PopupMenuItem label="Site links...">
      <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=RTP&Hops=1
&DataType=3" type="HTML"/>
    </PopupMenuItem>
    <PopupMenuItem label="Routers...">
      <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=RTP&Hops=1
&DataType=2" type="HTML"/>
    </PopupMenuItem>
    <PopupMenuItem label="Subnets...">
      <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=RTP&Hops=1
&DataType=4" type="HTML"/>
    </PopupMenuItem>
  </PopupMenuItems>
</node>
<node label="ATLANTA" img="http://eman-
dev/AppletTest/Images/32x32-end_station_blue.gif">
  <tooltip>ATLANTA</tooltip>
  <DoubleClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=ATLANTA&Hops=1&Dat
aType=1" type="XML"/>
  <PopupMenuItems>
    <PopupMenuItem label="Site links...">
      <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=ATLANTA&Ho
ps=1&DataType=3" type="HTML"/>
    </PopupMenuItem>
    <PopupMenuItem label="Routers...">
      <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=ATLANTA&Ho
ps=1&DataType=2" type="HTML"/>
    </PopupMenuItem>
    <PopupMenuItem label="Subnets...">
      <ClickAction command="http://eman-
dev/ADTopo/ADTopo.cgi?SiteCode=ATLANTA&Ho
ps=1&DataType=4" type="HTML"/>
    </PopupMenuItem>
  </PopupMenuItems>
</node>

</Nodes>
<Edges>
  <edge source="ATLANTA" target="ATHENS">
    <label>2717</label>
  </edge>
  <edge source="ATLANTA" target="BIRMINGHAM">

```

```
        <label>32767</label>
      </edge>
      <edge source="ATLANTA" target="BRENTWOOD">
        <label>10922</label>
      </edge>
      <edge source="ATLANTA" target="MPH-CS1">
        <label>10922</label>
      </edge>
      <edge source="ATLANTA" target="RTP">
        <label>2716</label>
      </edge>
    </Edges>
  </graph>
```

```

<?xml version='1.0'?>
<graph>
  <useGrid set="false"/>
  <!-- fitInWindow, by definition, also means center graph -->
  <fitInWindow set="true"/>
  <!-- CenterOn Values: graph, node, none
    if node is choosen, fitInWindow must be false -->
  <centerOn>graph</centerOn>
  <!-- Img = "null" means clean-up current img -->
  <!-- <background color="FFFFFF" img="http://cassio-
    7020/AppletTest/Images/32x32-end_station_yellow.gif"
    style="IMAGE_TILE"/> -->
  <!-- <background color="00F000" img="null"/> -->
  <background img="http://cassio-7020/AppletTest/Images/32x32-
    end_station_yellow.gif" center="10,10"/>
  <!-- <layoutType>Hierarchical</layoutType> -->
  <layoutType>Hierarchical</layoutType>
  <nodes>
    <node label="Node on the Fly" img="http://cassio-
      7020/AppletTest/Images/32x32-end_station_red.gif">
      <tooltip>Behold!!!!</tooltip>
      <location>50,100</location>
    </node>
    <node label="More Node on the Fly" img="http://cassio-
      7020/AppletTest/Images/32x32-end_station_yellow.gif">
      <!-- No tooltip -->
    </node>
    <node label="Unknown node" img="http://cassio-
      7020/AppletTest/Images/32x32-end_station_blue.gif">
      <!-- I just changed the icon of an existing node -->
    </node>
  </nodes>
  <edges>
    <!-- Edge types:
      1: one way arrow
      2: reverse arrow
      3: two arrows
      4: no arrows -->
    <edge source="Node on the Fly" target="Unknown node">
      <label>A new Label...</label>
      <color>0000FF</color>
      <!-- No edge type -->
    </edge>
    <edge source="Node on the Fly" target="More Node on the Fly">
      <!-- No label -->
      <color>00FF00</color>
      <type>3</type>
    </edge>
  </edges>
</graph>

```